



CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS PRIOR TO INITIATING ANY DEMOLITION OR OTHER WORK INCLUDING ORDERING MATERIALS.

- NOTES:
1. BELOW BOND BEAM @ ELEVATION 42.44.
  2. ABOVE ELEVATION 42.44
  3. FIELD DRILL HOLES THROUGH COLUMN FLANGES AND EXISTING COLUMN 1/2" COVER PLATE FOR (5) 3/4" DIA A325 SC BOLTS, SIMILAR TO S-2418
  4. 12"x32" HIGH MINIMUM BOND BEAM REINFORCED WITH (4) #5 HEF, CONTINUOUS BETWEEN COLUMNS.
  5. 12"x16" HIGH BOND BEAM REINFORCED WITH (2) #5 HEF, CONTINUOUS BETWEEN COLUMNS.
  6. HORIZ REINF AT TOP OF WALL TO BE CONTINUOUS OVER SCUPPER BY USING U-SHAPED LINTEL BLOCKS.

THESE RECORD DOCUMENTS HAVE BEEN PREPARED BASED ON THE INFORMATION PROVIDED BY OTHERS. THE DESIGN PROFESSIONAL HAS NOT VERIFIED THE ACCURACY AND/OR COMPLETENESS OF THIS INFORMATION AND SHALL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS WHICH MAY BE INCORPORATED HEREIN AS A RESULT.

**G SECTION**  
1/4"=1'-0"  
S-2400, S-2401  
S-2402, S-2414, S-2415

RECORD DRAWING REVISED PER CCIR No.DR-5 RE-ISSUED FOR CONSTRUCTION ISSUED FOR CONSTRUCTION FOR FINAL REVIEW/ BUILDING PERMIT		BY APVD	
4	01/20/08	D	M. GOODSON
3	10/16/06	DR	G. OMORI
2	09/08/06	CHK	M. CHEZANOWSKI
1	07/04/06	REV	B. GACKSTATTER
0	06/19/06	BY	B. GACKSTATTER
NO. DATE		BY APVD	
DGN		CHK	
M. CHEZANOWSKI		B. GACKSTATTER	
STAMFORD WPC STAMFORD WATER POLLUTION CONTROL AUTHORITY SOLIDS DRYING PROJECT			
STRUCTURAL SECTION			
VERIFY SCALE BAR IS ONE INCH ON ORIGINAL DRAWING.			
DATE	JUNE 2006	DWG	S-2408
PROJ	334058	SHEET	S21