



DESIGN LOADS FROM MANUFACTURER:
 DL+LL= 86k/LEG
 P_{EQ} = 41k/LEG
 P_{WIND} = 18k/LEG
 SHEAR= 7k/LEG

SILO SUPPORT FOUNDATION DETAILS
 1/4"=1'-0"

CONTRACTOR TO FIELD VERIFY ALL DIMENSIONS PRIOR TO INITIATING ANY DEMOLITION OR OTHER WORK INCLUDING ORDERING MATERIALS.

THESE RECORD DOCUMENTS HAVE BEEN PREPARED BASED ON THE INFORMATION PROVIDED BY OTHERS. THE DESIGN PROFESSIONAL HAS NOT VERIFIED THE ACCURACY AND/OR COMPLETENESS OF THIS INFORMATION AND SHALL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS WHICH MAY BE INCORPORATED HEREIN AS A RESULT.

RECORD DRAWING		01/20/08	DR	APVD	B. GACKSTATTER
RE-ISSUED FOR CONSTRUCTION		09/09/06	CHK	APVD	M. GOODSON
ISSUED FOR CONSTRUCTION		07/04/06	BY	APVD	G. OMORI
FOR FINAL REVIEW/ BUILDING PERMIT		06/05/06	BY	APVD	M. CHEZANOWSKI
NO.	DATE	NO.	DATE	NO.	DATE
3		2		1	
STAMFORD WPC		STAMFORD WATER POLLUTION CONTROL AUTHORITY		SOLIDS DRYING PROJECT	
STRUCTURAL		SILO SUPPORT SLAB DETAILS			
VERIFY SCALE					
BAR IS ONE INCH ON ORIGINAL DRAWING.					
DATE	JUNE 2006	PROJ	334058	DWG	S-2426
SHEET	S39	MODIFIED DATE:		MODIFIED TIME:	